

CONSTRUCTION

City Grout

High Performance Polymer Modified Cement – Based Pre - Mixed Tile Grout and Joint Setting Mortar

TECHNICAL PROPERTIES:

Colors:	White, grey or colored.					
Dry Density:	1.2 ± 0.05 kg/Lit (type A) 1.4 ± 0.05 kg/Lit (type B)					
Mixing:	6.50 to 7.00 Lit. clean water /20 Kg. bag (type A). 4.00 to 4.50 Lit. clean water /20 Kg. bag (type B).					
Open Time:	20 Minutes.					
Pot Life:	1 Hours.					

APPLICATION PROCEDURES:

- **1.** Clean and free all grooves between external and internal tiles from any loose dust, oil, grease... etc.
- 2. The gap between tiles should not exceed 5 mm for Type A. and 15 mm for Type B.
- **3.** Mix one bag of 20 Kg. with 6.50 7.00 Lit. of water (for type A) or 4.00 4.50 Lit. of water (for type B) by pouring the powder in the water gradually while stirring till the mixture is uniform and free of lumps.
- 4. Keep mixing for (3 minutes), and set for (10 minutes) then remix for (2 minutes).
- 5. Apply the mortar with a rubber float into the joints with download pressure to ensure that joints are completely filled.
- 6. Remove excess grout using a damp sponge.
- 7. Use the product within a maximum of 1 hour after mixing.
- 8. After the grout is dried, clean the tile with a dry smooth cloth.
- 9. In case of hot or windy conditions, it is recommended to dampen the joint a few hours after application.
- **10.** Floor tiles can be walked on after 24 hours.

HEALTH AND SAFETY:

While using the product, gloves and goggles should be worn.

Splashes to skin or eyes should be washed with clean water, in case of prolonged irritation, seek medical advice

STORAGE:

Shelf life is 12 months from manufacturing date, in a dry covered storage area.

NET WEIGHT:

20 kg /bag.

	The occur Dunungs Sulun	Sureni iteau itabi eng	Cuno 15, p.		7202 240 430 33		
<u>i</u>	10th Of Ramadan City.			24/7	+2010 277 810 11		
	info@CityChem.net	🔰 @City_Chem	f City Chem	Ó	+2010 672 213 44		
The Information Herein is Based on Our Present Knowledge and Experiences. This Information Merely Describes the Properties of Our Products but No Guarantee In the legal Sense Shall Be Implied. We Recommend Testing Our Products As To Their Suitability For Your Envisaged Purpose Prior To Use.							
No Warranties Of Any Kind, Either Express or Implied Including Warranties of Merchantability or Fitness For a Particular Purpose Are Made Regarding Any Products Mentioned Herein and							
Data or Information That Such Products. Data or Information May Be Used Without Infringing Intellectual Property Rights of Third Parties							

🖷 Al-Obour Buildings - Salah Salem Road - Nasr City - Cairo - Foynt



≽ Google play