









**APPLICATION****DETAILS**

<b>Mix Ratio</b>	Parts by weights comp A: B = 1:6.
<b>Coverage</b>	Approx. 2.2 kg per 1-liter mortar.
<b>Surface preparation</b>	Concrete, mortar and stone surfaces must be clean, free from laitance, oil, grease and loosely adhering particles. Metal surfaces (steel and iron) should be free from scale, rust, oil and grease. Saturate absorbent surfaces thoroughly.
<b>Application Mixing</b>	Place the full contents of Comp. (A) in a suitable mixing container. Stirring slowly and thoroughly, add all of Comp. (B) and mix for approx. 3 minutes until a smooth consistency is achieved via electric drill and approved mixing paddle is recommended.
<b>Application</b>	Whilst the substrate is still damp work the mortar vigorously into the surface. For large repairs use a mixture of (A) and (B) (approx. 1: 3 by volume) in slurry consistency
<b>Important</b>	<input type="checkbox"/> Minimum application temperature: 8°C. <input type="checkbox"/> Maximum thickness per layer: 20 mm.
<b>Cleaning</b>	Clean all tools and equipment with clean water immediately after use. Hardened material can only be removed mechanically.
<b>Curing</b>	Use approved curing methods

**SAFETY****INSTRUCTIONS**

	In liquid state product will contaminate water.
<b>Ecology</b>	Do not dispose of into water or soil but according to local regulations.
<b>Transport</b>	Non-hazardous.
<b>Safety</b>	Wear protective clothing (gloves, goggles), if eyes or mucous membrane come into contact with material, rinse with warm water and seek medical advice.
<b>Toxicity</b>	Non-Toxic under relevant health and safety codes.



 Al-Obour Buildings - Salah Salem Road - Nasr City - Cairo - Egypt.	 +202 240 456 35
 10th Of Ramadan City.	 +2010 277 810 11
 <a href="mailto:info@CityChem.net">info@CityChem.net</a>	 +2010 672 213 44
 @City_Chem	 City Chem

The Information Herein is Based on Our Present Knowledge and Experiences. This Information Merely Describes the Properties of Our Products but No Guarantee In the legal Sense Shall Be Implied. We Recommend Testing Our Products As To Their Suitability For Your Envisaged Purpose Prior To Use. No Warranties Of Any Kind, Either Express or Implied Including Warranties of Merchantability or Fitness For a Particular Purpose Are Made Regarding Any Products Mentioned Herein and Data or Information That Such Products, Data or Information May Be Used Without Infringing Intellectual Property Rights of Third Parties. We Reserve The Right To Make Any Changes According To Technological Progress or Further Developments. This Copy Replaces All Previous Versions - Printed in Egypt - 2020.



# CONSTRUCTION